

Herbal Refreshing Medicine For Emotional Healing

Ms. Swati R. Sarode, Ms. Snehal R. Sarowar, Ms. Prachi Murkute, Mr. Kaushik Kamble,
Miss. Ashwini Pundkar

Rajesh Bhaiyya Tope College of B. Pharmacy Nipani Bhalgoan Chh. Sambhajinagar.

Abstract

This project presents a poly-herbal medicine designed to support emotional healing and reduce mental stress. The formulation includes Mint, Tulsi, Lemon, and Beet leaves all known for their adaptogenic, calming, and refreshing properties. The medicine is intended to be easy to consume, non-addictive, and effective in promoting mood balance. Reduce stress and anxiety-Tulsi's adaptogenic properties and mint's calming effects help alleviate stress and anxiety. Promote mental clarity- Beetroot's cognitive-enhancing properties and Tulsi's mental clarity benefits support focus and mental well-being. Support emotional balance-Tulsi's emotional balancing effects and mint's soothing properties help regulate emotions. Boost mood- Lemon juice's vitamin C and beetroot's antioxidants help combat oxidative stress and promote a positive mood. Tulsi (Holy Basil)- Adaptogenic herb that reduces stress and anxiety, promotes mental clarity, and supports emotional balance. Mint-Calming and soothing herb that alleviates stress, anxiety, and digestive issues. Beetroot- Rich in antioxidants, beetroot supports cognitive function, mental clarity, and emotional well-being. Lemon Juice- Rich in vitamin C, lemon juice helps combat oxidative stress, boost mood, and support immune.

Keywords: Stress, Anxiety, Depression, Emotional Healing, Anti -oxidant, Detoxification, Anti biotic and Disinfectant.

Introduction

Underlying Biological Mechanisms: Mental health is a cornerstone of human well-being and directly influences a person's emotional balance, ability to function socially and professionally, and overall quality of life. As societies evolve and face increasing challenges ranging from economic pressures and environmental stress to digital overstimulation and social isolation the incidence of mental health disorders has reached alarming levels. According to recent data from the World Health Organization (WHO), approximately one in every eight individuals globally is affected by a mental health condition. Among these, depression stands out as one of the most disabling and prevalent disorders, followed closely by anxiety disorders, which frequently co-occur and often compound the severity of depression. Additionally, cognitive decline, particularly in aging populations, has emerged as a major public health issue with a significant impact on healthcare systems worldwide. ^[1]

Depression involves persistent sadness, loss of interest or pleasure, fatigue, changes in appetite, sleep disturbances, and feelings of guilt or worthlessness. Anxiety presents as excessive worry, fear, restlessness, physical tension, and often somatic symptoms like a racing heart or shortness of breath. Cognitive disorders like

Mild Cognitive Impairment (MCI) and Alzheimer's disease primarily impair memory, reasoning, and decision-making, often progressing to dementia. [2]

Persistent loss of interest or enjoyment in previously pleasurable activities

Chronic fatigue, decreased physical and mental energy Disturbed sleep patterns, including insomnia hypersomnia Low self-esteem, excessive guilt, and a pervasive sense of hopelessness

In severe cases, suicidal thoughts or ideation

Depression is widely associated with dysregulation of neurotransmitter systems, particularly the monoamines:

Serotonin (5-HT): Regulates mood, sleep, and appetite

Dopamine (DA): Controls motivation, pleasure, and reward behavior

Norepinephrine (NE): Affects alertness and stress response

Further contributing to depression is dysfunction of the Hypothalamic-Pituitary-Adrenal (HPA) axis, which leads to chronic elevation of cortisol levels often referred to as the "stress hormone." Long-term cortisol excess contributes to atrophy of the hippocampus, a brain region critical for emotion and memory regulation. Additionally, depressed individuals often exhibit a decrease in Brain-Derived Neurotrophic Factor (BDNF) a protein essential for the survival, growth, and differentiation of neurons. Low BDNF levels impair neuroplasticity, making it harder for the brain to adapt to new information or recover from psychological stress. Neuroinflammation has also emerged as a key factor in depression. Pro-inflammatory cytokines such as IL-6, TNF- α , and CRP have been found in elevated levels in depressed patients, indicating that immune system dysregulation plays a role in depressive pathophysiology. This inflammation may trigger neuronal apoptosis (cell death) and synaptic dysfunction. [3]

In response to the growing dissatisfaction with synthetic drugs, there has been a global resurgence of interest in natural and holistic remedies, particularly herbal medicines. Used for centuries in traditional systems like Ayurveda, Traditional Chinese Medicine (TCM), Unani, and Western herbalism, these botanicals are now gaining validation in modern scientific studies for their neuroprotective, anxiolytic, antidepressant, and cognitive-enhancing effects. Unlike single-target pharmaceutical drugs, herbal medicines often contain a diverse array of bioactive compounds including flavonoids, alkaloids, glycosides, and terpenoids that work synergistically to influence various biological systems. Their multi-targeted mechanisms allow them to:

Regulate multiple neurotransmitter systems (serotonin, dopamine, GABA, acetylcholine)

Modulate the hypothalamic-pituitary-adrenal (HPA) axis to control stress hormones like cortisol

Act as antioxidants, protecting neurons from oxidative damage and inflammation

Promote neurogenesis and synaptic plasticity, aiding in brain repair and improved cognitive functioning

These properties make herbal remedies uniquely suited for treating complex mental health conditions, which often involve overlapping biological, psychological, and environmental factors. Furthermore, they generally

exhibit fewer side effects, better tolerability, and adaptogenic properties, meaning they help the body adapt to stress and restore internal balance. ^[4]

There is now a clear movement toward integrative mental health approaches, where herbal treatments are being considered not as replacements but as complementary or adjunct therapies to conventional care. In many countries, herbal formulations are increasingly incorporated into primary mental healthcare, particularly for Patients seeking natural or culturally familiar alternatives. Individuals experiencing side effects or resistance to synthetic drugs

Preventive approaches to cognitive decline and stress-related disorders. As research in this field expands, it becomes increasingly evident that plant-based compounds offer a scientifically valid and clinically relevant avenue for supporting mental well-being. The integration of ethnobotanical knowledge with modern pharmacology may hold the key to more personalized, safer, and effective treatment strategies for neuropsychiatric conditions. ^[5] Mental health disorders encompass a range of psychological and neurological conditions that affect emotional balance, cognitive function, and overall behavior. Among these, depression, anxiety, and cognitive decline are the most frequently reported and widely researched due to their impact on individuals across all age groups. These conditions are not only psychological in nature but are also deeply rooted in biological dysfunction, involving complex interactions between neurotransmitters, hormones, neuronal circuitry, and inflammatory responses. ^[6] Depression is a multifaceted mood disorder that extends far beyond transient feelings of sadness or emotional fatigue. It represents a persistent and often debilitating mental state marked by a diminished ability to experience pleasure (anhedonia), chronic tiredness, and cognitive impairments. At the core of anxiety disorders lies a disruption in GABAergic neurotransmission. Gamma-Aminobutyric Acid (GABA) is the brain's primary inhibitory neurotransmitter, responsible for calming neuronal activity. When GABA activity is deficient, neuronal excitability increases, leading to heightened states of fear and anxiety. The amygdala, a brain structure involved in processing fear and emotional memories, is often hyperactive in anxiety disorders. This hyperactivation results in increased threat perception and emotional reactivity, even to non-threatening stimuli. Anxiety is also influenced by dysregulation of the autonomic nervous system, particularly chronic sympathetic nervous system activation. This results in a persistent "fight or flight" state, causing elevated heart rate, increased respiration, and muscle tension. Neurochemically, imbalances in serotonin and norepinephrine also contribute to anxiety, and in some cases, dopamine dysfunction may be involved, particularly in anxiety linked with social phobia or panic disorders. Restlessness and a constant feeling of being "on edge" Irritability, nervousness, and difficulty concentrating. Racing thoughts, anticipation of worst-case scenarios. Somatic symptoms, such as muscle tension, palpitations, and digestive issues Panic attacks, which may include chest tightness, dizziness, and shortness of breath. Anxiety is characterized by excessive fear or apprehension, often without a clear or immediate threat. While a certain level

of anxiety is normal and adaptive in dangerous situations, chronic anxiety becomes maladaptive, interfering with daily functioning and emotional stability.

Depression is widely associated with dysregulation of neurotransmitter systems, particularly the monoamines: Serotonin (5-HT): Regulates mood, sleep, and appetite Dopamine (DA): Controls motivation, pleasure, and reward behavior. Norepinephrine (NE): Affects alertness and stress response. Further contributing to depression is dysfunction of the Hypothalamic-Pituitary-Adrenal (HPA) axis, which leads to chronic elevation of cortisol levels often referred to as the "stress hormone." Long-term cortisol excess contributes to atrophy of the hippocampus, a brain region critical for emotion and memory regulation. Additionally, depressed individuals often exhibit a decrease in Brain-Derived Neurotrophic Factor (BDNF) a protein essential for the survival, growth, and differentiation of neurons. Low BDNF levels impair neuroplasticity, making it harder for the brain to adapt to new information or recover from psychological stress. Neuroinflammation has also emerged as a key factor in depression. Pro-inflammatory cytokines such as IL-6, TNF- α , and CRP have been found in elevated levels in depressed patients, indicating that immune system dysregulation plays a role in depressive pathophysiology. This inflammation may trigger neuronal apoptosis (cell death) and synaptic dysfunction. Persistent loss of interest or enjoyment in previously pleasurable activities. Chronic fatigue, decreased physical and mental energy. Disturbed sleep patterns, including insomnia or hypersomnia. Low self-esteem, excessive guilt, and a pervasive sense of hopelessness

In severe cases, suicidal thoughts or ideation. Cognitive disorders, particularly Alzheimer's disease, are characterized by the accumulation of β -amyloid plaques and neurofibrillary tangles composed of tau protein in the brain. These abnormal proteins disrupt neural communication, trigger inflammation, and lead to synaptic and neuronal loss. In addition to protein pathies, oxidative stress plays a significant role. Neurons are highly susceptible to damage from free radicals, which accumulate due to mitochondrial dysfunction or impaired antioxidant defense. This contributes to cellular aging and degeneration of brain regions involved in cognition. Another critical factor is the decline in acetylcholine levels a neurotransmitter essential for memory and attention. The cholinergic system, particularly the basal forebrain cholinergic neurons, is among the earliest affected in cognitive disorders, making it a major therapeutic target. Inflammatory processes, impaired blood-brain barrier function, reduced neurogenesis, and synaptic loss all compound to accelerate cognitive deterioration. Short-term and long-term memory loss. Difficulty in concentration and decision-making. Challenges in word retrieval and language fluency. Disorientation and impaired judgment. In severe cases, a complete loss of independence. Cognitive decline is a progressive deterioration of intellectual functions such as memory, learning, problem-solving, and language processing. While some level of cognitive slowing is expected with age, pathological cognitive decline is seen in conditions like Mild Cognitive Impairment (MCI) and neurodegenerative diseases, especially Alzheimer's disease and Parkinson's disease. Several ancient medical systems have incorporated the use of herbs for improving mental well-being, enhancing cognitive

functions, and supporting emotional resilience: Ayurveda (India): Dating back over 3,000 years, Ayurveda emphasizes the balance between mind, body, and spirit. Herbs like Ashwagandha, Brahmi, and Shankh Pushpi are well-known for their calming, rejuvenating, and memory-enhancing properties. Traditional Chinese Medicine (TCM): TCM treats the mind and body as an interconnected system. It uses herbal formulas to harmonize the flow of Qi (life energy). Herbs like Ginkgo biloba, Panax ginseng, and Schisandra chinensis are commonly used to improve cognition, reduce stress, and promote vitality. Unani and Greco-Arabic Medicine: This system views health as a balance of four humors. Herbs such as Zizyphus jujube and Melissa officinalis (lemon balm) are used to calm the nervous system and support mental clarity. Western Herbalism and Folk Remedies: European and North American traditions have used herbs like Valerian root, St. John's Wort, Lavender, and Chamomile for mood disorders and sleep disturbances. These traditions often passed down knowledge through folk practices and empirical observation. Herbal medicine has been an integral part of human healthcare for thousands of years, with its roots extending across diverse cultural and medicinal traditions. Before the advent of synthetic pharmaceuticals, plant-based remedies were the primary source of healing for physical and mental ailments. In recent decades, there has been a resurgence of interest in herbal therapeutics, especially for mental health conditions, due to the increasing prevalence of treatment resistance and adverse effects associated with conventional psychotropic medications. Herbal medicines are widely regarded for their holistic and multi-targeted approach, offering therapeutic benefits by restoring systemic balance rather than suppressing symptoms. This makes them particularly suitable for addressing the multifactorial nature of conditions like depression, anxiety, and cognitive dysfunction, where multiple biological systems are dysregulated simultaneously. ^[10]

Modern pharmacological investigations have validated several ways in which herbs influence neurological and psychological health. These mechanisms include: Modulation of Neurotransmitters: Many herbs affect the levels and activity of serotonin, dopamine, GABA, and acetylcholine, thereby influencing mood, relaxation, and cognition. Antioxidant and Anti-inflammatory Effects: Herbal compounds help counteract oxidative stress and reduce neuroinflammation, both of which are implicated in the pathology of depression, anxiety, and neurodegeneration. Regulation of the HPA Axis: Adaptogenic herbs like Rhodiola, Ashwagandha, and Holy Basil help normalize cortisol secretion, reducing the physiological impact of chronic stress. Promotion of Neuroplasticity: Some herbal constituents upregulate neurotrophic factors like BDNF, enhancing neuronal growth, synaptic connectivity, and cognitive flexibility.

Protection Against Neurodegeneration: Several herbs have demonstrated neuroprotective activity in experimental models of Alzheimer's and Parkinson's diseases, primarily through inhibiting beta-amyloid aggregation, mitigating mitochondrial dysfunction, and preserving cholinergic neurons. ^[13] One of the primary reasons herbal medicines are gaining modern scientific attention is their rich phytochemical profile. Unlike synthetic drugs that typically target one receptor or pathway, herbal remedies contain a synergistic mix of

bioactive molecules that modulate multiple physiological systems simultaneously. Key phytoconstituents commonly found in psychoactive and neuroprotective herbs include: Alkaloids: Nitrogen-containing compounds known for their strong physiological effects on the central nervous system. Example: Berberine, Harmine

Flavonoids: Polyphenolic compounds with potent antioxidant and anti-inflammatory properties that protect neurons from oxidative stress. Example: Quercetin, Apigenin

Glycosides: These compounds often act as neuromodulators, influencing neurotransmitter release and neuroendocrine function. Example: Salidroside from *Rhodiola rosea*

Terpenoids: Known for their adaptogenic effects and their ability to interact with GABAergic and dopaminergic systems. Example: Ginkgolides from *Ginkgo biloba*

Saponins: These have been shown to support neurogenesis, improve memory, and regulate cortisol levels. Example: Withanolides in *Ashwagandha*. These compounds do not work in isolation. Instead, they produce a synergistic effect, where multiple constituents enhance each other's bioavailability and efficacy, while often buffering potential toxicity this concept is known as the "entourage effect."^[20] The intersection of ethnobotany and neuroscience has opened new doors for the therapeutic use of herbs in modern medicine. Scientific methodologies such as phytochemical screening, in vitro and in vivo behavioral models, clinical trials, and molecular docking studies have confirmed and expanded the traditional knowledge regarding medicinal plants. For instance: *Ginkgo biloba* has shown cognitive-enhancing effects in both elderly populations and Alzheimer's patients. *St. John's Wort* has been extensively studied and found to be as effective as SSRIs for mild to moderate depression, with fewer side effects.

Bacopa monnieri and *Panax ginseng* have demonstrated significant memory-boosting and neuroprotective effects in preclinical and clinical research.

Despite these promising findings, challenges such as standardization, variability in bioactive content, and potential herb-drug interactions still exist. Therefore, integrating herbal medicine into mainstream psychiatric care requires rigorous scientific validation, quality control, and evidence-based guidelines.^[14] Emotional healing is a vital aspect of overall well-being, and herbal medicines have been used for centuries to support emotional balance and resilience. Herbal refreshing medicines, in particular, offer a gentle yet effective approach to emotional healing, promoting relaxation, calmness, and renewal. Herbal refreshing medicines are plant-based remedies that help restore emotional equilibrium, alleviate stress, and promote a sense of calm and well-being. These medicines often combine adaptogenic, nervine, and calming herbs to support emotional resilience and healing.

1. Emotional Balance: Supports emotional equilibrium and resilience.
2. Stress Relief: Alleviates stress, anxiety, and emotional overwhelm.
3. Improved Mood: Promotes relaxation, calmness, and well-being.

4. Holistic Approach: Addresses emotional, mental, and physical aspects of well-being.

Poly herbal medicine for emotional healing refers to a therapeutic formulation made by combining multiple medicinal plants or herbs that work synergistically to support emotional well-being. These herbal combinations are designed to address issues such as stress, anxiety, mood swings, depression, and emotional fatigue by balancing the body's natural systems, especially the nervous and hormonal systems. The poly herbal approach enhances the effectiveness of treatment by utilizing the complementary actions of different herbs.

The following drugs perform various role to regulate or enhance mood changes in following Ways:-



Fig 1:- Mint

MINT: - Mint help to alleviate feelings of stress, anxiety, depression and emotional balance. It calms effects on the nerves. It contain menthol which has cooling properties. It is rich in anti-oxidant that protect the brain. It refresh our mind and improve our mood. Contains menthol, which has a calming effect on the nervous system and is known to alleviate symptoms of anxiety and depression. Its fresh aroma and cooling properties provide an immediate, refreshing "mental reset".

TULSI:- Tulsi is excellent antibiotic and disinfectant agent. It helps to reduce stress. It protects from heart diseases. It controls headaches, cough and cold. It helps to prevent premature aging. Known as the "Queen of Herbs," it is a powerful adaptogen that helps the body cope with physical and emotional stress. It regulates cortisol (the stress hormone), reduces anxiety, and enhances mental clarity.



Fig 2:-Tulsi

LEMON:- Lemon is rich in vitamin C, which is crucial for adrenal health. It reduce hormone-related fatigue, anxiety and imbalances. It keeps us hydrated. It has antioxidants which boost immunity. Helps to reduce blood pressure and for loosing weight. Prevents kidney stones.



Fig 3:-Lemon

BEET:- It helps to regulate ovulation and menstrual cycles. They are beneficial for hormonal imbalance due to their nutrients profile. They are potential to improve various hormonal markers in women with PCOS. It enhances Estrogen metabolism. Regulates blood sugar levels. Promotes Detoxification. Rich in nutrients, beets contain uridine, a substance that helps maintain normal dopamine levels, which regulates the brain's reward, emotion, and pleasure centers. They also contain nitrates that improve blood flow, reducing blood pressure and lowering anxiety.




Fig 4:-Beetroot

Materials and Methods

You want to make a 100ml syrup using the following ingredients:

- 50ml mint leaves juice
- 5ml beetroot juice
- 4ml Tulsi leaves juice
- 5ml lemon juice
- 37ml water



Procedure:

Use a mortar pestle to crush the mint leaves, beetroot, and Tulsi leaves until they release their juices. Strain the crushed ingredients to extract their juices. You should have approximately 50ml of mint leaves juice, 5ml of beetroot juice, and 4ml of Tulsi leaves juice. In a large bowl, combine the mint leaves juice, beetroot juice, Tulsi leaves juice, and lemon juice. Mix well. Add 37ml of water to the mixture and stir well. Strain the mixture through a fine-mesh sieve to remove any pulp or sediment. then transfer it to a clean glass bottle. Store it in the refrigerator to preserve the syrup.



Fig 4: - Herbal refreshing syrup



Fig 5:-Herbal refreshing syrup

Table 1: ---

Ingredients	Quantity(ml)	Uses
Mint Leaves	50 ml	<ol style="list-style-type: none"> 1) Cures headache. 2) Treat asthma. 3) Aids digestion.
Beetroot	5 ml	<ol style="list-style-type: none"> 1) Enhances Estrogen metabolism. 2) Improve blood flow. 3) Help manage mood swings.
Tulsi Leaves	4 ml	<ol style="list-style-type: none"> 1) To manage anxiety and stress induced irritation. 2) Powerful antioxidant.
Lemon Juice	5 ml	<ol style="list-style-type: none"> 1) Aromatherapy for stress reduction. 2) Detoxification. 3) Lowering cortisol. 4) Improving brain function. 5) Hydration and boost energy.

Evaluation test:-

- Physicochemical Tests:

Density: Measure the density of Syrup using a densitometer or hydrometer to ensure consistency. PH Level: Check the pH level to ensure it falls within the acceptable range for probiotic products. Viscosity: Measure the viscosity to evaluate the texture and consistency.

- Microbiological Tests:

Viable Cell Count: Determine the number of viable *Lactobacillus casei* Shirota strain cells per mL, which should be at least 10^8 CFU/ML. Microbial Contamination: Test for contamination by other microorganisms, such as yeast, mold, or coliform bacteria.

- Chemical Tests:

Lactic Acid Content: Measure the lactic acid content to ensure it meets the required standards Nutritional Content: Analyze the nutritional content, including calories, protein, fat, and carbohydrates.

-Organoleptic Tests:

Taste and Smell: Evaluate the taste and smell of Syrup to ensure it meets consumer preferences. Texture: Assess the texture and consistency of Syrup.

-Shelf-Life Tests:

Stability Study: Conduct a stability study to determine the shelf-life of Syrup under different storage Monitoring the viability of the bacteria over 40 days of refrigerated storage.

-Microbiological & Quality Control, Biochemical Tests: Includes Catalase test, Indole test, Methyl Red (MR) test, Voges-Proskauer (VP) test, and Citrate utilization tests.

-Physical Checks:

Testing specific gravity and sugar concentration (Brix). Product Safety and Stability Evaluation.

-Contaminant Testing:

Regular checks for physical, chemical, and microbiological contaminants.

-Environmental Monitoring:

Ensuring no contamination from the manufacturing environment. Clinical & Functional

-Evaluation Gut Health/Bowel Movement:

Clinical trials evaluate the effect of daily consumption on constipation and gut flora, often using the Bristol Stool Form Scale and fecal sample analysis

-Immune System Support:

Studies test for the reduction of infection risks, such as upper respiratory tract infections (URTI).

-Oral Health Study:

Monitoring the presence of the strain in saliva and tongue coating to check for oral health applications.

- Sensory Evaluation Taste and Texture:

Evaluators use 9-point hedonic scales to rate color, flavor, taste, texture, and overall acceptability.

-Flavor Profile: The taste is described as a unique, fresh, citrus-like, and creamy vanilla, which is assessed for consistency.

Conclusion

Uses of Mint and Beetroot for Emotional Healing Mint and beetroot are two natural ingredients with potential benefits for emotional healing:

Mint (Mentha spp.) Calming Effects: Mint's calming properties can help reduce stress, anxiety, and promote relaxation. **Mood Uplift:** Mint's invigorating aroma can uplift mood and improve focus. **Digestive Support:** Mint can help alleviate digestive issues, which are often linked to emotional stress. **Beetroot (Beta vulgaris):-** **Mood Enhancement:** Beetroot is rich in nitrates, which can help improve blood flow and oxygenation to the brain, potentially boosting mood. **Antioxidant Support:** Beetroot's antioxidants can help reduce oxidative stress, which is linked to emotional disorders. **Energy and Vitality:** Beetroot's iron content can help alleviate fatigue, supporting emotional well-being . **Potential Uses for Emotional Healing.** **Stress Relief:** Combine mint tea with beetroot juice for a calming, mood-boosting drink. **Anxiety Management:** Use mint essential oil in aromatherapy or topical applications to promote relaxation. **Mood Support:** Incorporate beetroot into your diet (e.g., salads, smoothies) to support mood and energy. This review highlights the potential of herbal medicines in managing depression, anxiety, and cognitive decline. Various plants such as Mint, Tulsi, Beetroot and Lemon Juice, etc. have shown promise in preclinical and clinical studies, demonstrating anxiolytic, antidepressant, and cognitive – enhancing properties. While the exact mechanisms of action are not fully understood, these herbal medicines may modulate neurotransmitters, reduce inflammation, and exhibit antioxidant activity. Despite the need for further research to standardize extracts, determine optimal dosing, and elucidate potential interactions, herbal medicines offer a valuable adjunct or alternative to conventional treatments. Integrating traditional knowledge with modern science may uncover novel therapeutic opportunities for mental health disorders. Future studies should prioritize rigorous clinical trials, quality control, and safety assessments to fully harness the potential of plants for mental well – being.

References

1. Sams, T., 2020. *Herbal Medicine for Emotional Healing: 101 Natural Remedies for Anxiety, Depression, Sleep, and More*. Sourcebooks, Inc..
2. Best, R., 2022. Mint and menthol: A review of potential health benefits and wider human effects.
3. Davidson, R.J., Lewis, D.A., Alloy, L.B., Amaral, D.G., Bush, G., Cohen, J.D., Drevets, W.C., Farah, M.J., Kagan, J., McClelland, J.L. and Nolen-Hoeksema, S., 2002. Neural and behavioral substrates of mood and mood regulation. *Biological psychiatry*, 52(6), pp.478-502.
4. Remali, J. and Aizat, W.M., 2024. Medicinal plants and plant-based traditional medicine: Alternative treatments for depression and their potential mechanisms of action. *Heliyon*, 10(20).
5. Yeung, K.S., Hernandez, M., Mao, J.J., Haviland, I. and Gubili, J., 2018. Herbal medicine for depression and anxiety: A systematic review with assessment of potential psycho-oncologic relevance. *Phytotherapy Research*, 32(5), pp.865-891.
6. Dobrek, L. and Głowacka, K., 2023. Depression and its phytopharmacotherapy—a narrative review. *International Journal of Molecular Sciences*, 24(5), p.4772.
7. Kenda, M., Kočevar Glavač, N., Nagy, M. and Sollner Dolenc, M., 2022. Medicinal plants used for anxiety, depression, or stress treatment: An update. *Molecules*, 27(18), p.6021.
8. Sarris, J., Panossian, A., Schweitzer, I., Stough, C. and Scholey, A., 2011. Herbal medicine for depression, anxiety and insomnia: a review of psychopharmacology and clinical evidence. *European neuropsychopharmacology*, 21(12), pp.841-860
9. Yeung, K.S., Hernandez, M., Mao, J.J., Haviland, I. and Gubili, J., 2018. Herbal medicine for depression and anxiety: A systematic review with assessment of potential psycho-oncologic relevance. *Phytotherapy Research*, 32(5), pp.865-891.
10. Dobrek, L. and Głowacka, K., 2023. Depression and its phytopharmacotherapy—a narrative review. *International Journal of Molecular Sciences*, 24(5), p.4772.
11. Ghazizadeh, J., Sadigh-Eteghad, S., Marx, W., Fakhari, A., Hamedeyazdan, S., Torbati, M., Taheri-Tarighi, S., Araj-Khodaei, M. and Mirghafourvand, M., 2021. The effects of lemon balm (*Melissa officinalis* L.) on depression and anxiety in clinical trials: A systematic review and meta-analysis. *Phytotherapy research*, 35(12), pp.6690-6705.
12. Kenda, M., Kočevar Glavač, N., Nagy, M. and Sollner Dolenc, M., 2022. Medicinal plants used for anxiety, depression, or stress treatment: An update. *Molecules*, 27(18), p.6021.

13. Ghazizadeh, J., Sadigh-Eteghad, S., Marx, W., Fakhari, A., Hamedeyazdan, S., Torbati, M., Taheri-Tarighi, S., Araj-Khodaei, M. and Mirghafourvand, M., 2021. The effects of lemon balm (*Melissa officinalis* L.) on depression and anxiety in clinical trials: A systematic review and meta-analysis. *Phytotherapy research*, 35(12), pp.6690-6705.
14. Kenda, M., Kočevar Glavač, N., Nagy, M. and Sollner Dolenc, M., 2022. Medicinal plants used for anxiety, depression, or stress treatment: An update. *Molecules*, 27(18), p.6021.
15. Yeung, K.S., Hernandez, M., Mao, J.J., Haviland, I. and Gubili, J., 2018. Herbal medicine for depression and anxiety: A systematic review with assessment of potential psycho-oncologic relevance. *Phytotherapy Research*, 32(5), pp.865-891.
16. Lopresti, A.L., Smith, S.J., Malvi, H. and Kodgule, R., 2019. An investigation into the stress-relieving and pharmacological actions of an ashwagandha (*Withania somnifera*) extract: A randomized, double-blind, placebo-controlled study. *Medicine*, 98(37), p.e17186.
17. Sarris, J., Panossian, A., Schweitzer, I., Stough, C. and Scholey, A., 2011. Herbal medicine for depression, anxiety and insomnia: a review of psychopharmacology and clinical evidence. *European neuropsychopharmacology*, 21(12), pp.841-860.
18. Pittler, M.H., Ernst, E. and Cochrane Common Mental Disorders Group, 1996. Kava extract versus placebo for treating anxiety. *Cochrane Database of Systematic Reviews*, 2010(6).
19. Solomon, D., Adams, J. and Graves, N., 2013. Economic evaluation of St. John's wort (*Hypericum perforatum*) for the treatment of mild to moderate depression. *Journal of affective disorders*, 148(2-3), pp.228-234.
20. Koulivand, P.H., Khaleghi Ghadiri, M. and Gorji, A., 2013. Lavender and the nervous system. *Evidence-Based Complementary and Alternative Medicine*, 2013(1), p.681304.
21. Tomino, C., Ilari, S., Solfrizzi, V., Malafoglia, V., Zilio, G., Russo, P., Proietti, S., Marcolongo, F., Scapagnini, G., Muscoli, C. and Rossini, P.M., 2021. Mild cognitive impairment and mild dementia: the role of Ginkgo biloba (EGb 761®). *Pharmaceuticals*, 14(4), p.305.
22. Dhawan, K., Dhawan, S. and Sharma, A., 2004. Passiflora: a review update. *Journal of ethnopharmacology*, 94(1), pp.1-23.
23. Brown, J., 2012. Valeriana officinalis. *Australian Journal of Herbal Medicine*, 24(4), pp.136-139.
24. Patel, R., Prakasam, A., Joseph, R.P., Patel, B. and Patel, B., 2026. ANCIENT HERB, MODERN APPLICATIONS: IMMUNOLOGICAL POTENTIAL OF OCIMUM TENUIFLORUM IN RESPIRATORY AND NEUROPSYCHOLOGICAL HEALTH. *PharmaNutrition*, p.100475.

25. Toth, B., Hegyi, P., Lantos, T., Szakacs, Z., Keremi, B., Varga, G., Tenk, J., Petervari, E., Balasko, M., Rumbus, Z. and Rakonczay, Z., 2019. The efficacy of saffron in the treatment of mild to moderate depression: a meta-analysis. *Planta medica*, 85(01), pp.24-31.
26. Zhang, Y., Li, L. and Zhang, J., 2020. Curcumin in antidepressant treatments: an overview of potential mechanisms, pre-clinical/clinical trials and ongoing challenges. *Basic & Clinical Pharmacology & Toxicology*, 127(4), pp.243-253.
27. Pase, M.P., Kean, J., Sarris, J., Neale, C., Scholey, A.B. and Stough, C., 2012. The cognitive-enhancing effects of Bacopa monnieri: a systematic review of randomized, controlled human clinical trials. *The Journal of Alternative and Complementary Medicine*, 18(7), pp.647-652.
28. Wijeweera, P., Arnason, J.T., Koszycki, D. and Merali, Z., 2006. Evaluation of anxiolytic properties of Gotukola–(Centella asiatica) extracts and asiaticoside in rat behavioral models. *Phytomedicine*, 13(9-10), pp.668-676.
29. Ghazizadeh, J., Sadigh-Eteghad, S., Marx, W., Fakhari, A., Hamedeyazdan, S., Torbati, M., Taheri-Tarighi, S., Araj-Khodaei, M. and Mirghafourvand, M., 2021. The effects of lemon balm (*Melissa officinalis* L.) on depression and anxiety in clinical trials: A systematic review and meta-analysis. *Phytotherapy research*, 35(12), pp.6690-6705.
30. Adaes, S., *Rhodiola Rosea: Medicinal Use And The Science Behind It*. Ahn, H.G., Kim, J.E. and Lee, J.H., College of Korean Medicine, Gachon University, Seongnam-si, 13120, Republic of Korea. 2 Yejin Geriatric Hospital, Gyeyang-daero 188, Gyeyang-gu, Incheon, 21053, Republic of Korea 3 Tomato Geriatric Hospital, Jeju, 63213, Republic of Korea. Received 2 July 2025; Accepted 30 July 2025; Published 30 July 2021
31. Catanzaro, M., Corsini, E., Rosini, M., Racchi, M. and Lanni, C., 2018. Immunomodulators inspired by nature: a review on curcumin and echinacea. *Molecules*, 23(11), p.2778.
32. Kyrou, I., Christou, A., Panagiotakos, D., Stefanaki, C., Skenderi, K., Katsana, K. and Tsigos, C., 2017. Effects of a hops (*Humulus lupulus* L.) dry extract supplement on self-reported depression, anxiety and stress levels in apparently healthy young adults: a randomized, placebo-controlled, double-blind, crossover pilot study. *Hormones*, 16(2), pp.171-180.
33. Amsterdam, J.D., Shults, J., Soeller, I., Mao, J.J., Rockwell, K. and Newberg, A.B., 2012. Chamomile (*Matricaria recutita*) may have antidepressant activity in anxious depressed humans-an exploratory study. *Alternative therapies in health and medicine*, 18(5), p.44.
34. Ghasemnezhad, A., Aghaei, M.K. and Ghorbanpour, M., 2019. The Importance of Iranian Borage (*Echium amoenum* Fisch. Mey): A Critical Review. *Medicinal Plants*, pp.51-57.

35. Schuster, J. and Mitchell, E.S., 2019. More than just caffeine: Psychopharmacology of methylxanthine interactions with plant-derived phytochemicals. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 89, pp.263-274.
36. Bhattacharya, S.K., Bhattacharya, A., Sairam, K. and Ghosal, S., 2000. Anxiolytic-antidepressant activity of *Withania somnifera* glycowithanolides: an experimental study. *Phytomedicine*, 7(6), pp.463-469.
37. Bhattacharya, S.K., Bhattacharya, A., Sairam, K. and Ghosal, S., 2000. Anxiolytic-antidepressant activity of *Withania somnifera* glycowithanolides: an experimental study. *Phytomedicine*, 7(6), pp.463-469.
38. Pittler, M.H., Ernst, E. and Cochrane Common Mental Disorders Group, 1996. Kava extract versus placebo for treating anxiety. *Cochrane Database of Systematic Reviews*, 2010(6).
39. Linde, K., Berner, M.M. and Kriston, L., 2008. St John's wort for major depression. *Cochrane database of systematic reviews*, (4).
40. Sarris, J., Panossian, A., Schweitzer, I., Stough, C. and Scholey, A., 2011. Herbal medicine for depression, anxiety and insomnia: a review of psychopharmacology and clinical evidence. *European neuropsychopharmacology*, 21(12), pp.841-860.
41. World Health Organization, 2022. *Regional technical consultation on implementation of the WHO European framework for action on mental health 2021–2025 through the Pan-European mental health coalition: Virtual meeting, 15–16 February 2022* (No. WHO/EURO: 2022-5323-45087-64308). World Health Organization. Regional Office for Europe.
42. American Psychiatric Association and American Psychiatric Association. Work Group to Revise DSM-III., 1987. *Diagnostic and statistical manual of mental disorders: DSM-III-R*. American Psychiatric Publishing.
43. Gelenberg, A.J., Freeman, M.P., Markowitz, J.C., Rosenbaum, J.F., Thase, M.E., Trivedi, M.H. and Van Rhoads, R.S., 2010. American Psychiatric Association practice guidelines for the treatment of patients with major depressive disorder. *Am J Psychiatry*, 167(Suppl 10), pp.9-118.

Copyright & License:



© Authors retain the copyright of this article. This work is published under the Creative Commons Attribution 4.0 International License (CC BY 4.0), permitting unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.