

“Artificial Intelligence in Robotics: An Integrated Survey of Applications, Intelligent Capabilities, Challenges, and Future Perspectives”

Dr.Rajpal Singh

HOD, A&M Institute of Computer and Technology, Pathankot

Avninder Kaur

Assistant Professor, A&M Institute of Management and Technology, Pathankot

Abstract

Artificial Intelligence (AI) is increasingly transforming robotics by enabling machines to perceive environments, learn from experience, make informed decisions, and perform tasks with greater autonomy. This research paper presents a comprehensive survey of the integration of AI, Machine Learning (ML), and Deep Learning (DL) in contemporary robotic systems, with emphasis on their applications, functional capabilities, challenges, and future directions. The study examines AI-enabled applications across healthcare, manufacturing, agriculture, transportation, logistics, defence, and service robotics, while highlighting capabilities such as object recognition, predictive maintenance, speech and gesture interpretation, localization, motion planning, and adaptive control. The review further traces the evolution of robotic intelligence from learning-from-demonstration and reinforcement-learning techniques toward deep neural networks, multimodal systems, and foundation-model-based architectures. The findings indicate that AI substantially enhances robotic adaptability, perception, decision-making, and human–robot collaboration; however, practical deployment remains constrained by data requirements, computational and energy limitations, safety concerns, cybersecurity risks, limited generalization, explainability, privacy, standardization, and legal responsibility. The paper argues that future progress will require integrated architectures combining AI with sensing, control, simulation, mechanical systems, human expertise, and responsible governance. Such a human-centered approach can support reliable, scalable, and socially beneficial intelligent robotic systems.

Keywords: Artificial Intelligence; Robotics; Machine Learning; Deep Learning; Autonomous Robots; Human–Robot Interaction; Reinforcement Learning; Foundation Models; Robotic Perception; Motion Planning; Intelligent Control; Robotic Applications.

1. Introduction

Artificial intelligence (AI) has emerged as a major force in the evolution of modern robotics, transforming robots from programmed machines into intelligent systems capable of perception, learning, decision-making, and adaptive interaction. The combination of AI techniques with robotic technologies has expanded their applications across diverse domains, including healthcare, manufacturing, transportation, logistics, agriculture, and exploration. Intelligent robots can perform repetitive or hazardous operations with greater consistency, assist professionals in complex environments, and contribute to improved productivity and operational efficiency.

Despite these benefits, the rapid expansion of AI-enabled robotics also introduces significant social, ethical, legal, and technical questions. One of the most widely discussed concerns is the effect of automation on employment. While intelligent robotic systems can generate new economic opportunities, improve productivity, and create demand for emerging technical skills, they may also reduce the need for human workers in certain routine occupations. Consequently, societies must prepare for changes in employment patterns through appropriate education, reskilling, and workforce-development initiatives.

The increasing autonomy of robotic systems further emphasizes the importance of ethical principles. AI-enabled robots may increasingly participate in decisions that can directly affect human safety, privacy, dignity, and well-being. Issues such as accountability, transparency, algorithmic bias, data protection, and human oversight therefore require careful attention. Establishing appropriate regulatory and ethical frameworks is essential to ensure that robotic technologies are developed and deployed responsibly.


The influence of AI-driven robotics is particularly visible in healthcare, where intelligent machines can support diagnosis, rehabilitation, patient monitoring, surgical procedures, and elderly care. In manufacturing, robots equipped with AI can analyse operational conditions, identify defects, optimize production activities, and work collaboratively with human employees. Similarly, transportation and logistics are increasingly benefiting from autonomous systems capable of navigation, route optimization, and intelligent resource management. These applications demonstrate the broad adaptability of AI-powered robotic technologies and their potential to reshape conventional industrial practices.

At the same time, human–robot interaction presents a distinct set of challenges. As robots become more capable of interpreting human behaviour and responding intelligently, questions arise concerning trust, responsibility, emotional interaction, safety, and appropriate boundaries between humans and machines. The increasing integration of intelligent systems into everyday environments makes it necessary to ensure that these technologies remain understandable, controllable, and aligned with human values.

Another important consideration is societal accessibility. Advanced robotic technologies may initially remain concentrated within organizations and regions possessing substantial financial and technological resources. Unequal access could increase existing economic and technological disparities. Therefore, future development should consider not only technological performance but also affordability, accessibility, inclusiveness, and social benefit.

The future of AI-driven robotics is consequently likely to be characterized by deeper cooperation between humans and intelligent machines. Rather than simply replacing human workers, many robotic systems may increasingly function as collaborative partners that complement human abilities. Such systems could combine computational speed, precision, and continuous learning with human creativity, judgment, empathy, and contextual understanding.

Overall, AI-driven robotics represents a transformative technological field with substantial potential to influence industries and society. Its successful advancement will depend not only on improvements in algorithms, sensors, hardware, and autonomous capabilities but also on responsible governance and societal preparedness. Addressing ethical concerns, employment transitions, privacy, safety, legal responsibility, human–robot interaction, and equitable access will be fundamental to achieving sustainable development in this field. A balanced approach that combines technological innovation with human-centered principles can help ensure that the future of intelligent robotics contributes meaningfully to economic development, industrial progress, and broader social well-being.



2. Literature Survey

The integration of Artificial Intelligence (AI) with robotics has developed progressively from conventional machine-learning-based control systems to highly adaptive, multimodal, and foundation-model-driven robotic architectures. Existing research demonstrates that AI can improve robotic perception, learning, planning, manipulation, decision-making, autonomy, and interaction with humans. The following literature survey reviews fifteen significant studies that collectively represent the evolution of AI-enabled robotics and provide a foundation for understanding its applications, limitations, and future research directions.

2.1 Learning-Based Approaches in Robotics

Argall et al. [1] presented an influential survey of Learning from Demonstration (LfD) in robotics. Their work examined how robots can acquire policies from human demonstrations instead of relying entirely on manually programmed behaviours. The authors categorized approaches according to demonstration methods, policy-generation techniques, and performance improvement strategies. The study established learning from demonstration as an important approach for developing robots capable of acquiring complex skills. However, the authors also identified limitations associated with incomplete demonstrations, generalization, and the coverage of previously unseen situations.

Kober, Bagnell and Peters [2] investigated the use of reinforcement learning (RL) for robotic behavior generation. Their survey demonstrated how RL enables robots to learn appropriate actions through interaction with their environment rather than depending exclusively on explicitly programmed rules. The study discussed model-based and model-free learning, policy-search techniques, value-function approaches, and the importance of prior knowledge.

Although RL offers substantial potential for autonomous behavior generation, its application to physical robots remains challenging because real-world experimentation can be expensive, slow, and potentially unsafe.

Levine et al. [3] investigated end-to-end deep visuomotor learning, demonstrating that perception and robotic control can be jointly learned using deep neural networks. Instead of separating visual perception, state estimation, and control into independently engineered components, their approach mapped visual observations directly toward robot motor actions. The research demonstrated the potential of deep convolutional networks for real-world manipulation tasks and represented an important transition toward data-driven robotic control.

Ravichandar et al. [4] revisited learning from demonstration and reviewed developments that emerged after earlier LfD research. Their study highlighted imitation learning, machine-learning techniques, application domains, and unresolved theoretical and practical issues. The authors emphasized that LfD can be particularly useful when robotic behavior is difficult to formulate manually or as a conventional optimization problem. Their findings suggest that demonstration-based learning can reduce programming complexity while enabling robots to acquire task-specific skills more naturally.

2.2 Reinforcement Learning and Autonomous Robotic Skills

Andrychowicz et al. [5] demonstrated the capabilities of reinforcement learning through dexterous in-hand manipulation. A robotic hand was trained in simulation to perform object reorientation and subsequently transfer the learned behavior to a physical robot. The study was particularly important because it demonstrated that simulation-based training combined with domain randomization can help overcome some of the limitations associated with collecting extensive physical-robot training data. The work also illustrated the possibility of robots developing coordinated manipulation behaviours without direct human demonstrations.

Tang et al. [6] provided a recent assessment of deep reinforcement learning for real-world robotics. Their review considered robotic locomotion, navigation, stationary manipulation, mobile manipulation, human–robot interaction, and multi-robot interaction. The study concluded that although deep RL has produced successful real-world demonstrations, its maturity differs considerably across applications. Major future requirements include improved sample efficiency, stable learning, better evaluation procedures, and methods capable of handling long-horizon tasks in open environments.

2.3 AI Applications in Healthcare and Human–Robot Interaction

Zhou et al. [7] examined the application of AI in surgery, with particular emphasis on imaging, navigation, surgical planning, intraoperative guidance, and robotic intervention. Their review indicates that AI can support different stages of surgical workflows and contribute to increasingly intelligent medical robotic systems. At the same time, the study identifies challenges associated with surgical autonomy, reliability, validation, and safe integration into clinical environments. This research demonstrates the importance of combining AI capabilities with human expertise in safety-critical applications.

Jahan Mahin et al. [8] investigated human–robot interaction in manufacturing, focusing particularly on the modelling and prediction of human behavior. Their review showed that collaborative industrial robots need to perceive and interpret human actions in order to operate safely and efficiently in shared workspaces. The study identified sensing, behavioural prediction, interaction design, and context awareness as important research areas. These findings indicate that future industrial robots must move beyond simple task automation toward context-aware collaboration with human workers.

2.4 Language, Vision and Foundation Models in Robotics

Ahn et al. [9] introduced Say Can, an approach that combines the semantic capabilities of large language models with robotic skills grounded in the physical environment. The study demonstrated that language models can assist robots in planning long-horizon tasks expressed through natural language, while low-level robotic skills constrain the generated actions according to what the robot can physically perform. This work represents an important step toward natural-language-based robot programming and human–robot collaboration.

Brohan et al. [10] proposed RT-1 (Robotics Transformer) for real-world robotic control at scale. The study investigated whether transformer-based models could benefit from large and diverse collections of real robotic experience. Results indicated that increasing data diversity, model capacity, and task coverage can improve the generalization of robotic policies. The work is significant because it shifts the research direction from individually trained task-specific models toward scalable models capable of handling multiple robotic tasks.

Driess et al. [11] developed PaLM-E, an embodied multimodal language model designed to connect language reasoning with physical-world observations. The architecture incorporates visual and continuous sensor information into a large language model, allowing it to address embodied reasoning, visual question answering, and robotic manipulation tasks. The research demonstrates the potential of combining language, vision, and robotic state information within a unified model. Such approaches provide a pathway toward robots capable of understanding instructions while reasoning about their physical surroundings.

Brohan et al. [12] introduced RT-2, a vision-language-action model that transfers knowledge from vision-language models into robotic control. The research showed that web-scale visual and linguistic knowledge can contribute to robotic generalization and semantic reasoning. The significance of RT-2 lies in treating robotic actions as part of a broader multimodal learning problem rather than limiting robot intelligence to conventional task-specific datasets. Nevertheless, reliable grounding between abstract knowledge and physical action remains a major challenge.

Firoozi et al. [13] provided a comprehensive survey of foundation models in robotics, examining their contribution to perception, decision-making, planning, and control. The authors noted that large pretrained models can potentially improve generalization compared with models trained exclusively for individual robotic tasks. However, the review identifies several obstacles, including limited robotics-specific data, uncertainty quantification, safety guarantees, computational requirements, and real-time execution. These issues are particularly important for deploying foundation-model-based robots outside controlled laboratory environments.

Xu et al. [14] surveyed the emerging use of foundation models for embodied AI and robotics. Their work examined the role of foundation models in autonomous manipulation, planning, control, perception, and generalization. The study emphasizes that achieving human-level embodied intelligence requires the integration of multiple capabilities rather than improving an isolated robotic component. It also identifies datasets, simulators, benchmarks, multimodal learning, and generalization as important elements for future progress.

Kawaharazuka et al. [15] reviewed real-world applications of foundation models in robotics, focusing on their incorporation into practical robotic systems. Their analysis considered how foundation models can contribute to perception, motion planning, and control while also examining the challenges associated with deploying these models in physical robots. The work is particularly relevant to the future perspective of AI-driven robotics because it highlights the transition from experimental models toward practical systems operating in real-world environments.

2.5 Comparative Synthesis of the Literature

The reviewed literature indicates a clear progression in AI-enabled robotics. Early research concentrated primarily on learning individual robotic skills, including learning from demonstration and reinforcement learning. Subsequent research introduced deep neural networks capable of jointly processing sensory information and generating control actions. More recent work has moved toward large-scale multimodal and foundation models, where language, vision, sensor information, planning, and robotic action can be integrated within increasingly unified architectures.

2.6 Research Gap Identified from Existing Literature

The reviewed studies reveal that substantial progress has been achieved in individual dimensions of robotic intelligence, but fully integrated AI-driven robotics remains an open research problem. A major limitation is the lack of large, diverse, high-quality robotic datasets comparable to those available for language and computer vision. Physical robots also operate under safety, hardware, latency, and energy constraints that are not present in purely digital AI systems.

Another important gap concerns generalization. Many AI-based robotic systems perform effectively under training or benchmark conditions but may experience reduced reliability when exposed to unfamiliar objects, environments, instructions, or human behaviours. The transition from laboratory demonstrations to dependable real-world deployment therefore requires stronger approaches to uncertainty estimation, continual learning, adaptive control, and robust perception.

The literature also highlights unresolved issues concerning explainability, accountability, privacy, security, and ethical decision-making. These concerns become more significant as robots acquire greater autonomy and begin operating in healthcare, manufacturing, domestic environments, transportation, and public spaces.

Finally, foundation-model-based robotics creates an emerging research direction in which perception, language understanding, reasoning, planning, and control are increasingly interconnected. Future research should therefore investigate hybrid architectures combining foundation models with conventional control systems, reinforcement learning, simulation, symbolic reasoning, and real-time safety mechanisms. Developing standardized benchmarks and evaluation methodologies will also be essential for comparing robotic intelligence across different platforms and environments.

2.7 Overall Findings

Overall, the literature demonstrates that AI has transformed robotics from predominantly rule-based automation toward adaptive and increasingly autonomous systems. Machine learning and reinforcement learning have improved skill acquisition and control, deep learning has strengthened perception and manipulation, and foundation models are now extending robotic capabilities toward language-based reasoning and general-purpose behavior. Nevertheless, reliable deployment requires simultaneous progress in technical performance, safety, ethics, data availability, computational efficiency, and human–robot interaction.

The reviewed research therefore supports the view that the future of robotics will depend not on AI alone but on the effective integration of AI with sensing, control, mechanical design, simulation, human expertise, and responsible governance. This integrated perspective provides an important foundation for investigating the applications, challenges, and future prospects of AI-driven robotics.

3. Applications of AI in Robotics

3.1 Applications of Artificial Intelligence, Machine Learning and Deep Learning in Advanced Robotics

The integration of Artificial Intelligence (AI) with robotics has enabled the development of intelligent robotic platforms capable of sensing their surroundings, interpreting information, making decisions, and executing actions with increasing levels of autonomy. Within this framework, Machine Learning (ML) provides mechanisms through which robots can acquire knowledge from collected data and improve their behaviour through experience. Deep Learning (DL), as a specialized branch of ML, further extends these capabilities by employing multilayer neural networks to address complex perception and decision-making problems, including visual interpretation and speech understanding. The combined application of AI, ML, and DL has therefore expanded the scope of robotics from predefined automation toward adaptive systems capable of operating in dynamic and uncertain environments.

Object Detection and Recognition

Object detection and recognition constitute fundamental capabilities for intelligent robots because robots must identify relevant objects before they can interact with or manipulate them. Deep-learning models, particularly convolutional neural networks (CNNs), can be trained using extensive image datasets to extract visual characteristics and distinguish among different objects. Such capabilities enable robots to recognize tools, products, obstacles, people, and other environmental elements. Accurate object recognition is particularly important in applications involving autonomous navigation, industrial inspection, warehouse automation, and robotic manipulation.

Predictive Maintenance

AI and ML can also be employed to improve the reliability and operational lifetime of robotic equipment through predictive maintenance. Sensors installed within robotic systems continuously generate information related to temperature, vibration, motor performance, energy consumption, position, and other operating parameters. Machine-learning models can examine these data to identify abnormal patterns that may indicate developing faults. Instead of waiting for a component to fail, maintenance teams can use these predictions to schedule inspection, repair, or replacement activities in advance. This approach can reduce unexpected downtime, maintenance costs, and the risk of serious equipment failure.

Gesture and Speech Recognition

Natural and intuitive communication between humans and robots is another important application of AI. Speech-recognition systems allow robots to interpret spoken instructions, while computer-vision techniques can be used to identify gestures and body movements. These capabilities enable robots to respond to users without requiring conventional interfaces or specialized control devices. Social robots such as Pepper have demonstrated the potential of combining speech, gesture, and visual interaction for applications involving customer assistance, education, healthcare, and public services. Continued advances in natural-language processing and multimodal AI are expected to make human-robot communication more flexible and context-sensitive.

Robotic Surgery

The healthcare sector represents one of the most significant areas in which AI-enabled robotics is being investigated. Robotic surgical platforms can provide surgeons with highly precise instruments, improved visualization, and enhanced control during complex procedures. AI and ML techniques can assist with image interpretation, anatomical identification, surgical planning, navigation, and intraoperative decision support. Deep-learning approaches can further contribute to the analysis of medical images and the identification of clinically relevant patterns. However, because surgical procedures are safety-critical, AI-based robotic assistance requires rigorous validation, reliability assessment, and appropriate human supervision.

Medical Applications

AI-enabled robotics has applications beyond surgery, including medical imaging, rehabilitation, patient assistance, and targeted drug-delivery systems. Deep-learning methods are particularly effective in medical-image analysis because they can learn complex visual patterns from large collections of annotated images. Such systems may assist healthcare professionals in identifying subtle abnormalities that could otherwise be difficult to recognize. ML techniques, including decision trees, ensemble approaches, random forests, instance-based methods, and artificial neural networks, have also been investigated for optimizing drug-delivery strategies and supporting treatment-related decision-making. These applications demonstrate the potential of intelligent computational methods to complement conventional medical practices.

Military and Defence Robotics

Robotic technologies are increasingly being investigated for defense-related applications where operating personnel may be exposed to hazardous or inaccessible environments. Robotic platforms can support activities such as reconnaissance, surveillance, remote inspection, and explosive-ordnance handling. AI and ML techniques can process information obtained from cameras, sensors, and other sources to assist with environmental interpretation and situation assessment. The use of intelligent systems in such environments requires particular attention to reliability, cybersecurity, human oversight, and responsible decision-making.

Agricultural Robotics

The combination of AI and robotics is contributing to the development of more automated and data-driven agricultural practices. Agricultural robots can be designed to perform activities such as planting, crop monitoring, harvesting, weed identification, and targeted spraying. AI-based vision systems can examine crops and identify variations in plant

health, while ML algorithms can use environmental and historical data to support decisions concerning irrigation, resource allocation, and crop management. Autonomous navigation further allows agricultural robots to operate across fields with reduced human intervention. These technologies have the potential to improve productivity while reducing unnecessary consumption of water, fertilizers, pesticides, and labour resources.

Service Robotics

Service robots are designed to assist people in domestic, commercial, healthcare, hospitality, and public environments. Examples include robotic vacuum cleaners, delivery robots, reception robots, and assistance systems. AI and ML enable these machines to interpret their surroundings, identify users or objects, select appropriate actions, and adapt their behaviour according to changing conditions. Human-oriented service robots additionally require effective communication and interaction capabilities so that they can understand user instructions and respond appropriately.

Autonomous Driving and Robotic Transportation

Autonomous vehicles represent another major application of AI-enabled robotic decision-making. Such systems combine information from cameras, radar, lidar, GPS, and other sensors to construct an understanding of the surrounding environment. Computer-vision algorithms can identify road users, traffic signs, lane markings, and obstacles, while ML models can assist with prediction and decision-making. AI-based systems can also estimate the likely movement of surrounding vehicles and pedestrians, supporting route selection and collision avoidance. The integration of multiple sensor modalities is particularly important because autonomous vehicles must operate reliably under changing traffic, weather, and road conditions.

Robotics in Manufacturing

Manufacturing has traditionally been one of the largest application areas for industrial robotics. Conventional robots have performed repetitive operations such as welding, painting, assembly, packaging, and material handling. The incorporation of AI and ML introduces greater adaptability into these systems. Intelligent robots can analyze production data, optimize movement trajectories, identify manufacturing defects, and adjust their behaviour according to changing production requirements. AI-based optimization can consequently improve accuracy, productivity, resource utilization, and overall manufacturing efficiency.

AI-Based Functional Capabilities in Advanced Robotics

The applications of AI, ML, and DL in robotics extend beyond specific industries. These technologies contribute directly to several fundamental robotic functions, including perception, navigation, planning, localization, and control.

Object Recognition

Object recognition is a fundamental component of robotic perception. Before a robot can manipulate an object or navigate through an environment, it generally needs to determine what objects are present and where they are located. CNNs and other deep-learning architectures have demonstrated strong capabilities in extracting meaningful visual representations from images. In robotics, these methods can support object identification, scene understanding, autonomous navigation, grasping, sorting, and inspection.

Motion Planning

Motion planning determines how a robot should move between different positions while satisfying physical and environmental constraints. A suitable trajectory must generally avoid collisions while also considering factors such as distance, smoothness, energy consumption, and execution time. Reinforcement-learning methods provide an alternative to manually designed planning strategies by allowing robots to learn useful movement policies through interaction or simulation. Algorithms such as Deep Deterministic Policy Gradient (DDPG) have been investigated for continuous-control problems involving robotic manipulators and can be used to learn smooth movement strategies under appropriate training conditions.

Robotic Control

Control systems are responsible for converting desired actions into physical robot movements. Traditional controllers typically rely on mathematical models and predefined control rules, whereas deep reinforcement learning can learn control policies directly from interaction data. Algorithms such as Proximal Policy Optimization (PPO) have been investigated for robotic manipulation and control tasks, including learning policies for robotic arms that perform grasping and object-moving operations. These approaches demonstrate the possibility of developing adaptive control strategies for environments where deriving an accurate analytical model is difficult.

Robot Localization

Localization refers to determining the position and orientation of a robot relative to its surrounding environment. Reliable localization is essential for navigation, mapping, manipulation, and autonomous operation. ML techniques can complement conventional localization approaches by learning relationships between sensor measurements and robot positions. Methods such as Support Vector Machines (SVMs) and Random Forests have been explored for classification and regression-based localization problems. In some experimental settings, Random Forest-based approaches have reported localization accuracies as high as 98.8%; however, such performance values are dependent on the dataset, environment, sensors, experimental methodology, and evaluation criteria and should therefore not be generalized to all robotic systems.



4. Challenges of Artificial Intelligence in Robotics

The integration of Artificial Intelligence (AI) with robotics has significantly improved robotic autonomy, perception, learning, and decision-making. However, several technical, ethical, financial, and societal challenges limit the widespread deployment of intelligent robots.

1. High Development and Implementation Cost

AI-powered robots require expensive sensors, processors, actuators, software, maintenance, and specialized infrastructure. This can make advanced robotic systems unaffordable for small organizations.

2. Limited Real-World Understanding

Although AI systems can process large amounts of data, robots may struggle to understand unpredictable real-world situations. Changes in lighting, weather, obstacles, human behavior, or unfamiliar environments can affect performance.

3. Data Requirements

Machine-learning and deep-learning systems often require large quantities of high-quality training data. Collecting, labelling, storing, and updating robotic datasets can be expensive and time-consuming.

4. Safety and Reliability

Robots operating around humans must make highly reliable decisions. An incorrect perception or decision can result in equipment damage or human injury, particularly in healthcare, manufacturing, transportation, and other safety-critical applications.

5. Cybersecurity Threats

Connected robots can be vulnerable to hacking, malware, unauthorized access, and manipulation of their control systems. A compromised robot could potentially cause physical as well as digital damage.

6. Explainability and Transparency

Many advanced AI models operate as “black boxes,” making it difficult to understand why a robot made a particular decision. This creates challenges when decisions need to be verified or justified.

7. Human–Robot Interaction

Robots must correctly interpret human speech, gestures, emotions, intentions, and social behavior. Misinterpretation can lead to inappropriate or unsafe actions.

8. Computational and Energy Constraints

Sophisticated AI algorithms require considerable processing power. Robots operating on batteries must balance computational requirements with energy consumption, especially when performing continuous perception and decision-making.

9. Navigation in Dynamic Environments

Robots must continuously adapt to moving people, vehicles, changing obstacles, and unexpected events. Reliable localization, mapping, and path planning remain challenging in complex environments.

10. Ethical and Privacy Concerns

Robots equipped with cameras, microphones, and other sensors can collect sensitive information. Issues related to privacy, surveillance, consent, bias, and responsible use of AI need careful consideration.

11. Lack of Standardization

Different robotic platforms often use different hardware, communication protocols, operating systems, and AI frameworks. This can make integration, interoperability, and software reuse difficult.

12. Maintenance and Upgrades

AI-enabled robots require regular software updates, model retraining, sensor calibration, hardware maintenance, and cybersecurity updates. Maintaining these systems over their operational lifetime can be challenging.

13. Unpredictability of AI Models

AI models can sometimes produce unexpected outputs when presented with situations that differ significantly from their training data. Ensuring consistent behavior across diverse environments remains a major challenge.

14. Workforce and Employment Concerns

Increasing automation may change job roles and potentially displace workers in certain repetitive occupations. Organizations therefore need strategies for reskilling and human–robot collaboration.

15. Legal and Responsibility Issues

When an autonomous robot causes an accident or makes an incorrect decision, determining responsibility among the manufacturer, developer, owner, operator, or AI system can be complicated.

5. References

- [1] B. D. Argall, S. Chernova, M. Veloso, and B. Browning, “A Survey of Robot Learning from Demonstration,” *Robotics and Autonomous Systems*, vol. 57, no. 5, pp. 469–483, 2009. DOI: 10.1016/j.robot.2008.10.024.
- [2] J. Kober, J. A. Bagnell, and J. Peters, “Reinforcement Learning in Robotics: A Survey,” *The International Journal of Robotics Research*, vol. 32, no. 11, pp. 1238–1274, 2013.
- [3] S. Levine, C. Finn, T. Darrell, and P. Abbeel, “End-to-End Training of Deep Visuomotor Policies,” *Journal of Machine Learning Research*, vol. 17, no. 39, pp. 1–40, 2016.
- [4] H. Ravichandar, A. S. Polydoros, S. Chernova, and A. Billard, “Recent Advances in Robot Learning from Demonstration,” *Annual Review of Control, Robotics, and Autonomous Systems*, vol. 3, pp. 297–330, 2020. DOI: 10.1146/annurev-control-100819-063206.
- [5] OpenAI, M. Andrychowicz, B. Baker, M. Chociej, et al., “Learning Dexterous In-Hand Manipulation,” *The International Journal of Robotics Research*, vol. 39, no. 1, pp. 3–20, 2020. DOI: 10.1177/0278364919887447.
- [6] C. Tang, B. Abbatematteo, J. Hu, R. Chandra, R. Martín-Martín, and P. Stone, “Deep Reinforcement Learning for Robotics: A Survey of Real-World Successes,” *Annual Review of Control, Robotics, and Autonomous Systems*, vol. 8, pp. 153–188, 2025. DOI: 10.1146/annurev-control-030323-022510.
- [7] X.-Y. Zhou, Y. Guo, M. Shen, and G.-Z. Yang, “Application of Artificial Intelligence in Surgery,” *Frontiers of Medicine*, vol. 14, no. 4, pp. 417–430, 2020. DOI: 10.1007/s11684-020-0770-0.
- [8] R. Jahanmahin, S. Masoud, J. Rickli, and A. Djuric, “Human-Robot Interactions in Manufacturing: A Survey of Human Behavior Modeling,” *Robotics and Computer-Integrated Manufacturing*, vol. 78, article 102404, 2022. DOI: 10.1016/j.rcim.2022.102404.
- [9] M. Ahn, A. Brohan, N. Brown, et al., “Do As I Can, Not As I Say: Grounding Language in Robotic Affordances,” arXiv:2204.01691, 2022.
- [10] A. Brohan, N. Brown, J. Carbajal, et al., “RT-1: Robotics Transformer for Real-World Control at Scale,” arXiv:2212.06817, 2022.
- [11] D. Driess, F. Xia, M. S. M. Sajjadi, et al., “PaLM-E: An Embodied Multimodal Language Model,” *Proceedings of the 40th International Conference on Machine Learning*, vol. 202, pp. 8469–8488, 2023.

- [12] A. Brohan, N. Brown, J. Carbajal, et al., “RT-2: Vision-Language-Action Models Transfer Web Knowledge to Robotic Control,” arXiv:2307.15818, 2023.
- [13] R. Firoozi, J. Tucker, S. Tian, et al., “Foundation Models in Robotics: Applications, Challenges, and the Future,” *The International Journal of Robotics Research*, 2024/2025. DOI: 10.1177/02783649241281508.
- [14] Z. Xu, K. Wu, J. Wen, et al., “A Survey on Robotics with Foundation Models: Toward Embodied AI,” arXiv:2402.02385, 2024.
- [15] K. Kawaharazuka, T. Matsushima, A. Gambardella, J. Guo, C. Paxton, and A. Zeng, “Real-World Robot Applications of Foundation Models: A Review,” *Advanced Robotics*, vol. 38, no. 18, pp. 1232–1254, 2024. DOI: 10.1080/01691864.2024.2408593.



Copyright & License:

© Authors retain the copyright of this article. This work is published under the Creative Commons Attribution 4.0 International License (CC BY 4.0), permitting unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.